

# ICBA Platinum Edition, CE 220-240V

26.8" x 22.1" x 10.0"  
(68.1cm x 56.1cm x 25.4cm)



- 4.3" Color Touchscreen aides in customizing recipes, brewing options and control
- SmartWAVE sprayhead technology provides enhanced uniformity of extraction and lime scale reduction
- USB programming for uploading and downloading recipes and software updates, all in less than a minute
- Brews into 2.5 to 3.8L (84 to 128 oz) airpots and 3.8 to 5.7L (1 to 1.5 gallon) baseless Thermofresh servers
- BUNN Infusion Series technology allows for multiple recipes from one footprint
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction™ Sprayhead is multi-directional with a 17-hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of the brew funnel until drip-through is complete
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing
- Hot water faucet (supplied for custom installation)

Agency:



## Specifications

**Product #:** 53300.0500

**Water Access:** Plumbed

**Finish:** Stainless

**Funnel:** Stainless Steel

**Faucet:** Variable

**Sprayhead:** Silicone-17Holes

## Additional Features

Funnel Locks

## Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sub>2</sub> O Temp.	Phase	# Wires plus Ground	Hertz
220-240	11.0-12.0	2400-2900	Yes	EURO 16A	141	60°F (15.5°C)	1	2	50-60

## Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.00


## CAD Drawings

2D	Revit	KLC



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Created on:  
09/26/2019



	Unit			Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	10.0 in.	26.8 in.	22.1 in.	-	-	-	53.710 lbs	-
Metric	25.4 cm	68.1 cm	56.1 cm	-	-	-	24.363 kgs	-



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Created on: 09/26/2019

## Related Products & Accessories: ICBA Platinum Edition, CE 220-240V(53300.0500)



FILTERS, GOURMET 500  
500/1 50/CL

Product #: 20138.1000



WATER FILTER,  
EQHP-10L

Product #: 39000.0001



WATER FILTER,  
EQHP-10

Product #: 39000.0004

STAND ASSY, TF  
SERVER

Product #: 54473.0000

FUNNEL ASSY, SST  
INFUSION COFFEE

Product #: 54675.0001



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Created on:

09/26/2019

## Serving & Holding Options: ICBA Platinum Edition, CE 220-240V(53300.0500)

<p>PREMIUM AIRPOT, 2.5L 8/CASE</p> <hr/> <p>Product #:13041.0000</p>	 <p>AIRPOT, 2.5L GL PB 6/ CASE</p> <hr/> <p>Product #:13041.0101</p>	 <p>AIRPOT, 2.5L SST LA SINGLE PK</p> <hr/> <p>Product #:32125.0000</p>	 <p>AIRPOT, 2.5L SST LA 6/ CASE</p> <hr/> <p>Product #:32125.0100</p>	 <p>AIRPOT, 3.0L SST LA SINGLE PK</p> <hr/> <p>Product #:32130.0000</p>
 <p>AIRPOT, 3.0L SST LA 6/ CASE</p> <hr/> <p>Product #:32130.0100</p>	 <p>AIRPOT, 3.8L SST LA SINGLE PK</p> <hr/> <p>Product #:36725.0000</p>	 <p>AIRPOT, 3.8L SST LA 6/ CASE</p> <hr/> <p>Product #:36725.0100</p>	 <p>STAND ASSY, TF SERVER</p> <hr/> <p>Product #:39795.0003</p>	 <p>TF SERVER, DSG2 1G SST NOBASE</p> <hr/> <p>Product #:42700.0050</p>
 <p>TF SERVER, DSG2 1G BLK NOBASE</p> <hr/> <p>Product #:42700.0051</p>	 <p>TF SERVER, 1G DSG NOBASE GEN3</p> <hr/> <p>Product #:42700.0250</p>	 <p>TF SERVER, DSG2 1.5G SST NOBAS</p> <hr/> <p>Product #:42750.0050</p>	 <p>TF SERVER, 1G/3.8L MECH NOBASE</p> <hr/> <p>Product #:44000.0050</p>	 <p>TF SERVER, 1G/3.8L MECH BLK NOBASE</p> <hr/> <p>Product #:44000.0051</p>
 <p>TF SERVER, 1G MECH NOBASE GEN3</p> <hr/> <p>Product #:44000.0250</p>				



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Created on:  
09/26/2019